



Ultimate U39E gas stove with wrap around nickel door and nickel louvers.

STANDARD FEATURES

- Natural gas
- Safety screen
- Flame height adjustment
- Electronic Ignition
- Proflame II Remote Control
- Direct Vent
- Black steel pedestal
- Pedestal side panels
- Variable speed blower
- 1-piece wrap around door in brushed nickel or black
- Battery back up system keeps the heat on in the event of a power outage

OPTIONS

- Choose between natural oak or driftwood logs
- Brushed nickel or black louvers
- Wall thermostat
- BTU reduction kit
- Propane conversion kit
- AstroCap™ Venting System
- Vertical or horizontal direct vent terminations

SPECIFICATIONS

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	38,000	38,000
Turn down to (BTU)	26,000	30,000
Efficiency (steady state)	77.61%	77.97%
EnerGuide Rating (Canada only)	73.19%	75.68%



Ultimate U39 gas stove with wrap around black door and black louvers.

STANDARD FEATURES

- Natural gas
- Safety screen
- Flame height adjustment
- Millivolt system with proflame remote control
- Direct Vent
- Black steel pedestal
- Pedestal side panels
- Variable speed blower
- 1-piece wrap around door in brushed nickel or black
- Battery back up system keeps the heat on in the event of a power outage

OPTIONS

- Choose between natural oak or driftwood logs
- Brushed nickel or black louvers
- Wall thermostat
- BTU reduction kit
- Propane conversion kit
- AstroCap™ Venting System
- Vertical or horizontal direct vent terminations

SPECIFICATIONS

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	38,000	38,000
Turn down to (BTU)	26,000	30,000
Efficiency (steady state)	77.61%	77.97%
EnerGuide Rating (Canada only)	71.45%	74.31%



Classic C34 shown with black legs, black door and safety screen.

STANDARD FEATURES

- Natural gas or propane
- Beautiful fire with glowing logs
- Safety screen
- Flame height adjustment
- Millivolt system with proflame remote control
- Direct Vent
- Convector airmate
- Heavy-duty ceramic safety glass
- Battery back up system keeps the heat on in the event of a power outage

OPTIONS

- Wall thermostat
- Variable speed blower
- Black steel pedestal base
- Cast iron door in black** or nickel accent
- Cast iron legs in brushed nickel or black
- Bottom heat shield (when using legs)
- AstroCap™ Venting System
- Vertical or horizontal direct vent terminations

*** Black doors come with nickel handles & nickel hinge caps*

SPECIFICATIONS

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	32,000	29,000
Turn down to (BTU)	21,000	23,000
Efficiency (steady state)	71.68%	72.02%
EnerGuide Rating (Canada only)	63.49%	64.49%



RC500E shown in black cast with volcanic stones and rear venting (unit shown without mandatory safety screen).

STANDARD FEATURES

- View the stunning flame from three sides
- Interior lights for added ambiance when the fire is off
- Variable speed blower
- Natural gas
- Safety screen
- Electronic ignition
- Modulating flame adjustment
- Battery back up system keeps the heat on in the event of a power outage
- ProFlame II remote control
- Direct vent
- Reversible flue for top or rear venting

OPTIONS

- Available in black cast or white with glass door & top
- Your choice of crystals, volcanic stones or traditional logs
- Propane conversion kit
- AstroCap™ Venting System
- Vertical or horizontal direct vent terminations

SPECIFICATIONS

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	23,00	22,00
Turn down to (BTU)	16,00	18,00
Efficiency (steady state)	67.13%	66.85%
EnerGuide Rating (Canada only)	60.38%	61.42%



RC500E shown with safety screen



U38E shown with wrap around black door, black louvers and driftwood log set (unit shown without mandatory safety screen).

STANDARD FEATURES

- Natural gas
- Safety screen
- Flame height adjustment
- Electronic Ignition
- Proflame II Remote Control
- B-vent
- Black steel pedestal
- Pedestal side panels
- Variable speed blower
- 1-piece wrap around door in brushed nickel or black
- Battery back up system keeps the heat on in the event of a power outage

OPTIONS

- Choose between natural oak or driftwood logs
- Brushed nickel or black louvers
- Wall thermostat
- BTU reduction kit
- Propane conversion kit

SPECIFICATIONS

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	38,000	34,000
Turn down to (BTU)	26,000	27,500
Efficiency (steady state)	71.63%	71.71%
EnerGuide Rating (Canada only)	63.94%	64.59%



U38E shown with safety screen



H15E in cream enamel finish with decorative glass grille.

STANDARD FEATURES

- Natural Gas
- Accent light
- ProFlame II remote control (GTMFL)
- Thermostat (built into remote)
- Modulating flame adjustment
- Light
- Safety screen
- Cast grille
- Ceramic glass
- Reversible flue for top or rear venting

OPTIONS

- Charcoal gray, timberline brown enamel finish, cream enamel finish
- Variable speed blower
- Wall thermostat
- AstroCap™ vent system
- Color match vent paint
- Propane conversion kit

SPECIFICATIONS

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	18,000	18,000
Turn down to (BTU)	12,700	15,500
Efficiency (steady state)	61.97%	63.69%
EnerGuide Rating (Canada only)	55.33%	57.46%



Hampton H27E medium gas stove with decorative glass grille in charcoal gray finish.

STANDARD FEATURES

- Natural Gas
- Accent light
- ProFlame II remote control (GTMFL)
- Thermostat (built into remote)
- Modulating flame adjustment
- Light
- Safety screen
- Cast grille
- Ceramic glass
- Reversible flue for top or rear venting

OPTIONS

- Variable speed blower
- Wall thermostat
- AstroCap™ vent system
- Color match vent paint
- Propane conversion kit

SPECIFICATIONS

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	25,000	22,000
Turn down to (BTU)	18,000	17,500
Efficiency (steady state)	67.63%	66.51%
EnerGuide Rating (Canada only)	61.22%	63.07%



Hampton H35E large gas stove with decorative glass grille in timberline brown enamel finish.

STANDARD FEATURES

- Natural Gas
- Accent light
- ProFlame II remote control (GTMFL)
- Thermostat (built into remote)
- Modulating flame adjustment
- Light
- Safety screen
- Cast grille
- Ceramic glass
- Reversible flue for top or rear venting

OPTIONS

- Charcoal gray, timberline brown enamel finish, cream enamel finish
- Brick panels in red or brown
- Variable speed blower
- Wall thermostat
- AstroCap™ vent system
- Color match vent paint
- Propane conversion kit

SPECIFICATIONS

SPECIFICATIONS	NATURAL GAS	PROPANE
Input (BTU)	30,000	29,500
Turn down to (BTU)	21,500	24,000
Efficiency (steady state)	75.27%	75.77%
EnerGuide Rating (Canada only)	70.86%	71.97%